## **VL500**™





## **VL500™**

#### Wet/Dry Vacuums

#### Ideal applications include:

- Schools and Universities
- Hospitals/Healthcare Facilities
- Grocery Stores
- Retail Outlets
- Arenas and Stadiums
- Automobile Dealerships



## Reliable, cost-efficient cleaning!

# Versatile performance and superior filtration deliver a cost-efficient cleaning solution

The new line of Advance VL500™ wet/dry vacuums is designed to accommodate virtually any cleaning requirement. Available in three models—9, 14 and 19 gallon tank configurations—the VL500 wet/dry vacuum applications range from small office environments to large education and healthcare facilities. Designed with a superior filtration system, easy-to-use features and multiple accessories, operators are guaranteed to find a wet/dry vacuum to fit their cleaning program.

#### Flexible operation

With three unique models to select from, the VL500 series delivers unprecedented cleaning flexibility. Equipped with a front-mount squeegee and 19 gallon tank, the VL500-75 is ideal for picking up wet matter when stripping with floor stripper and a floor machine. Plus, an exclusive ERGO "tip n pour" design makes wet pick-up and emptying easy. For emergency spills and floods, the VL500-55 delivers the power and functionality when you need it. Featuring a hose, wand, squeegee floor tool, brush floor tool and optional front-mount

squeegee, you can quickly clean up any unwanted messes. When dirt or dust is the primary issue, the VL500-35 offers quality filtration and dust capture, in addition to crevice and dusting tools. Operators can also employ the VL500-35 for wet applications.

#### **Superior filtration**

Featuring a unique filter system, the VL500 series offers one solution for both wet and dry filtration. Designed with three durable components, the filter completely seals the entry to the motor, protecting the motor from dust, debris, water or other liquids. Once the job is complete, the filter can be easily lifted out of the vacuum for a simple rinse, then replaced and ready for the next job in a matter of minutes.

#### **Easy operation**

The VL500 wet/dry vacuums offer simple and reliable operation. The 14 and 19 gallon configurations feature a balanced wide stance for superior maneuverability, while the lightweight design of the 9 gallon model ensures easy transportation. For enhanced performance, the VL500 series offers a variety of standard and optional accessories, ranging from hoses and wands to squeegees and dusting tools.

Filter system allows for both wet and dry filtration, with full motor protection

ERGO "tip n pour" design allows for easy tank emptying



Powerful 1,000 W motor enhances cleaning capacity

Hinge motor head lifts off for quick access to the motor and tank

 Handle hanger for cord storage

Adjustable handle increases operator comfort

Simple foot pedal for squeegee engagement

Balanced wide stance ensures easy maneuverability



Unique filter system protects the motor from water, while ensuring complete wet and dry filtration. It is designed with the following components:

- Dry cartridge filter keeps water away from the motor and is waterproof and washable for increased durability
- Red panel holds floater and prevents water overflow
- Blue panel mesh wet filter dissipates foam





The VL500-75 features an easily adjustable handle to match operator height and maximize comfort.



Front-mount squeegee is easy to install, and enables easy cleaning in both forward and backward directions. With a break-away design, the squeegee can be quickly engaged via the foot pedal.

\* Standard on VL500-75; optional on VL500-55; not available on VL500-35.



Hinged-motor head on the VL500-75 quickly lifts off for machine cleaning or maintenance.



The VL500-75 and patent pending ERGO "tip n pour" design allows operators to easily empty the tank with 80% reduced effort. Standard "tip n pour" is available on the VL500-55 model.



The VL500 series features a variety of standard and optional accessories, including: hose, wand, squeegee floor tool, brush floor tool, crevice tool, dusting tool and front-mounted squeegee.

#### **Technical Specifications**

| Model                     | VL500™ 35  | VL500 <sup>™</sup> 55                             | VL500™ 75   |
|---------------------------|--|---|---|
| Power                     | 120 V / 60 Hz                                    |   |   |
| Power Cord Length         | 50 ft (15 m)                                     |   |   |
| Power PMAX                | 1,100 W  |   |   |
| Suction Power End of Tube | 220 W  | 185 W   |   |
| Airflow                   | 101 CFM (45 L/Sec)                               | 101 CFM (48 L/Sec)                                | 101 CFM (48 L/Sec)                                |
| Vacuum at Nozzle          | 72 inches of H <sub>2</sub> O (20 kPa)           | 72 inches of H <sub>2</sub> O (18 kPa)            | 72 inches of H <sub>2</sub> O (18 kPa)            |
| Sound Pressure Level      | 81 dB A  | 82 dB A   |   |
| Tank Capacity             | 9 gal (35 L)                                     | 14 gal (55 L)                                     | 19 gal (75 L)                                     |
| Dust Bag Capacity - Dry   | 4 gal (18 L)                                     | 6 gal (28 L)                                      | 9 gal (44 L)                                      |
| Wet Filter Area           | 163 in <sup>2</sup> (1,051 cm <sup>2</sup> )     | 285 in² (1,840 cm²)                               |   |
| Cartridge Filter Area     | 321 in² (2,070 cm²)                              | 683 in <sup>2</sup> (4,410 cm <sup>2</sup> )      |   |
| Hose Length               | 6 ft (1.9 m)                                     | 8 ft (2.5 m)                                      |   |
| Hose Inlet                | ~1.25 in (32 mm)                                 | ~1.5 in (40 mm)                                   |   |
| Length x Width x Height   | 19 in x 17 in x 29 in<br>(46 cm x 42 cm x 73 cm) | 34 in x 24 in x 40 in<br>(84 cm x 62 cm x 100 cm) | 26 in x 24 in x 41 in<br>(66 cm x 62 cm x 103 cm) |
| Weight                    | 25 lb (11.5 kg)                                  | 52 lb (23.5 kg)                                   | 61 lb (27.5 kg)                                   |
| Tube Holder               | included   | included  | included  |
| Drain Hose                | _  | included  | included  |
| Accessory Storage         | included   | included  | included  |
| Adjustable Handle         | -  | _   | included  |
| Folding Transport Handle  | -  | _   | included  |
| Dust Filter System        | included   | included  | included  |
| Ergo Tip Design           | -  | -   | included  |
| Part Number               | 107409094  | 107409093   | 56383408  |

Specifications are subject to change without notice.



With superior flexibility, high power and cost-efficient performance, the VL500<sup>™</sup> series exceeds the cleaning expectations of the wet/dry vacuum market.

#### **Accessories and options**

- Squeegee Complete (Standard on VL500-75; optional on VL500-55; not available on VL500-35.)
- Floor Nozzle Rubber Strip
- Floor Nozzle Brush
- Crevice Tool

- Extension Tube / Wand
- Hose
- Cartridge Filter
- Wet Filter
- Tubeholder

### Smart cleaning.

Our products are designed using innovative technologies that increase productivity and drive down the cost to clean.

Maintain peak performance with Nilfisk Genuine OEM Parts.



©2013 Nilfisk-Advance, Inc. Form L3316A 9-9-13







14600 21st Avenue North Plymouth, MN 55447-3408 www.advance-us.com Phone 800-850-5559 Fax 800-989-6566

240 Superior Boulevard Mississauga, Ontario, Canada L5T 2L2 www.nilfisk-advance.ca Phone 800-668-8400 Fax 800-263-5111



A Nilfisk-Advance Brand www.advance-us.com