Safety Data Sheet

Issue Date: 01-Jul-2004 Revision Date: 22-Apr-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name DRY FOAM PLUS

Other means of identification

SDS # LBI-011

Product Code 250

Recommended use of the chemical and restrictions on use

Recommended Use Carpet shampoo.

Details of the supplier of the safety data sheet

Manufacturer Address

Lawton Brothers, INC. 2515 Dinneen Ave. P.O. Box 547635 Orlando, FL 32854-7635

Ph: 1-407-291-2501

Emergency Telephone Number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Light amber liquid Physical State Liquid Odor Wintergreen

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4

Signal Word Warning

Hazard Statements

Harmful if swallowed Harmful in contact with skin



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF ON SKIN: Wash with plenty of soap and water Wash contaminated clothing before reuse Call a poison center or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Please also refer to subsequent sections of this SDS for additional information regarding the components of this product.

Chemical Name	CAS No	Weight-%
Sodium lauryl sulfate	151-21-3	30-50
Isopropyl Alcohol	67-63-0	1-10

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention immediately.

Skin Contact Wash off immediately with soap and plenty of water. If irritation persists or feeling unwell,

obtain medical advice.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison

center if individual's condition declines or if symptoms persist.

Ingestion Do not induce vomiting. Drink plenty of water or milk immediately. Never give anything by

mouth to an unconscious person. Get medical attention immediately.

Most important symptoms and effects

Symptoms Exposed individuals may experience eye tearing, redness and discomfort. Irritation and

corrosive burns to mouth, throat, and stomach.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal PrecautionsUse personal protective equipment as required.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an

absorbent material.

Methods for Clean-Up Sweep up absorbed material and shovel into suitable containers for disposal. Discard any

product, residue, disposable container or liner in full compliance with federal, state, and

local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8. Do not eat, drink or smoke when

handling this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Strong oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	

Appropriate engineering controls

Engineering ControlsApply technical measures to comply with the occupational exposure limits. Maintain eye

wash fountain and guick-drench facilities in work area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical safety goggles/faceshield.

Skin and Body Protection Rubber gloves recommended.

Respiratory ProtectionNot required under normal conditions. If recommended levels are exceeded, respiratory

protection must be selected to assure compliance with OSHA Standard 29CFR 1910.134.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceLight amber liquidOdorWintergreenColorLight amberOdor ThresholdNot determined

 Property
 Values
 Remarks
 • Method

 pH
 9.2
 @ 25 °C (77 °F)

Melting Point/Freezing Point< 0 °C / < 32 °F</th>Boiling Point/Boiling Range> 100 °C / > 212 °FFlash PointNot Flammable / combustible

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density

Same as water
Not determined
Not determined
Not determined
Not determined

Specific Gravity 1.020

Water Solubility

Solubility in other solvents

Partition Coefficient

Auto-ignition Temperature

Decomposition Temperature

Kinematic Viscosity

Dvnamic Viscosity

Not determined

Explosive Properties Not determined Oxidizing Properties Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to Avoid

Incompatible Materials.

Incompatible Materials

Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Irritating to eyes.

Skin Contact Prolonged contact may cause redness and irritation. Harmful in contact with skin.

Inhalation May cause irritation if inhaled.

Ingestion Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium lauryl sulfate 151-21-3	= 977 mg/kg (Rat)	= 580 mg/kg (Rabbit)	> 3900 mg/m³ (Rat) 1 h
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol		Group 3		X
67-63-0		·		

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

Revision Date: 22-Apr-2015 LBI-011 - DRY FOAM PLUS

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sodium lauryl sulfate	53: 72 h Desmodesmus	8 - 12.5: 96 h Pimephales		1.8: 48 h Daphnia magna
151-21-3	subspicatus mg/L EC50 30 -	promelas mg/L LC50 static		mg/L EC50
	100: 96 h Desmodesmus	15 - 18.9: 96 h Pimephales		
	subspicatus mg/L EC50 117:	promelas mg/L LC50 static		
	96 h Pseudokirchneriella	22.1 - 22.8: 96 h Pimephales		
	subcapitata mg/L EC50 3.59	promelas mg/L LC50 static		
		4.3 - 8.5: 96 h Oncorhynchus		
	Pseudokirchneriella	mykiss mg/L LC50 static		
	subcapitata mg/L EC50	4.62: 96 h Oncorhynchus		
	static	mykiss mg/L LC50		
		flow-through 5.8 - 7.5: 96 h		
		Pimephales promelas mg/L		
		LC50 static 10.2 - 22.5: 96 h		
		Pimephales promelas mg/L		
		LC50 semi-static 6.2 - 9.6:		
		96 h Pimephales promelas		
		mg/L LC50 13.5 - 18.3: 96 h		
		Poecilia reticulata mg/L		
		LC50 semi-static 10.8 - 16.6:		
		96 h Poecilia reticulata mg/L		
		LC50 static 1.31: 96 h		
		Cyprinus carpio mg/L LC50		
		semi-static 4.2: 96 h		
		Oncorhynchus mykiss mg/L		
		LC50 7.97: 96 h Brachydanio		
		rerio mg/L LC50 flow-through		
		9.9 - 20.1: 96 h Brachydanio		
		rerio mg/L LC50 semi-static		
		4.06 - 5.75: 96 h Lepomis		
		macrochirus mg/L LC50		
		static 4.2 - 4.8: 96 h Lepomis		
		macrochirus mg/L LC50		
		flow-through 4.5: 96 h		
		Lepomis macrochirus mg/L		
		LC50		
Isopropyl Alcohol	1000: 96 h Desmodesmus	9640: 96 h Pimephales		13299: 48 h Daphnia magna
67-63-0	subspicatus mg/L EC50	promelas mg/L LC50		mg/L EC50
	1000: 72 h Desmodesmus	flow-through 1400000: 96 h		
	subspicatus mg/L EC50	Lepomis macrochirus µg/L		
		LC50 11130: 96 h		
		Pimephales promelas mg/L		
		LC50 static		

Persistence/Degradability Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Sodium lauryl sulfate 151-21-3	1.6
Isopropyl Alcohol 67-63-0	0.05

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of WastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status	
Isopropyl Alcohol	Toxic	
67-63-0	Ignitable	

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Sodium lauryl sulfate	Present	Х		Present		Present	Х	Present	Х	Х
Isopropyl Alcohol	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0	67-63-0	1-10	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol	X	X	X
67-63-0			

16. OTHER INFORMATION

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical Hazards	Personal Protection
	1	0	0	Not determined

Issue Date:01-Jul-2004Revision Date:22-Apr-2015Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet