# **Safety Data Sheet**

Issue Date: 01-Jul-2004 Revision Date: 02-Jul-2015 Version 1

## 1. IDENTIFICATION

**Product Identifier** 

Product Name Fast Break

Other means of identification

**SDS #** LBI-062

Product Code 149 UN/ID No NA1760

Recommended use of the chemical and restrictions on use

**Recommended Use** Low odor seal and finish stripper.

#### Details of the supplier of the safety data sheet

Manufacturer Address Lawton Brothers, INC.

2515 Dinneen Ave. P.O. Box 547635 Orlando, FL 32854-7635 Ph: 1-407-291-2501

**Emergency Telephone Number** 

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Clear red liquid Physical State Liquid Odor Mild solvent

#### Classification

Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1

#### Signal Word Danger

Danger

# **Hazard Statements**

Causes severe skin burns and eye damage



## **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

## Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Other Hazards**

Harmful to aquatic life with long lasting effects

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Benzyl alcohol	100-51-6	1-10
Monoethanolamine	141-43-5	1-10
Dipropylene Glycol Monomethyl Ether (DPM)	34590-94-8	1-5
1-Methoxy-2-propanol	107-98-2	1-5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

#### **First Aid Measures**

**General Advice** Provide this SDS to medical personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If irritation develops or

persists seek medical attention.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician.

Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If conscious give large amounts

of water. Seek immediate medical attention/advice.

#### Most important symptoms and effects

Symptoms Prolonged or repeated contact with skin may cause irritation and local redness. Eye contact

causes severe irritation and swelling of conjunctiva. Prolonged eye contact may cause chemical burns. May be harmful if swallowed. Ingestion may cause burns to G.I. tract, abdominal discomfort, nausea, vomiting and diarrhea. Inhalation of spray mist or vapors

may irritate respiratory tract.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

## **Specific Hazards Arising from the Chemical**

Product is not flammable or combustible.

Hazardous Combustion Products Carbon oxides.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Do not enter confined fire-spaces without protective clothing and self-contained air supply.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Use personal protection recommended in Section 8.

**Environmental Precautions** See Section 12 for additional Ecological Information.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an

absorbent material.

Methods for Clean-Up Sweep up absorbed material and shovel into suitable containers for disposal. Discard any

product, residue, disposable container or liner in full compliance with federal, state, and

local regulations.

#### 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe

dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing and eye/face protection. Wash face, hands, and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. Use personal protection recommended in Section 8.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep container tightly closed and store in a cool, dry and well-ventilated

place.

\_\_\_\_\_

Incompatible Materials Strong oxidizing agents. Strong acids.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Monoethanolamine	STEL: 6 ppm	TWA: 3 ppm	IDLH: 30 ppm
141-43-5	TWA: 3 ppm	TWA: 6 mg/m <sup>3</sup>	TWA: 3 ppm
		(vacated) TWA: 3 ppm	TWA: 8 mg/m <sup>3</sup>
		(vacated) TWA: 8 mg/m <sup>3</sup>	STEL: 6 ppm
		(vacated) STEL: 6 ppm	STEL: 15 mg/m <sup>3</sup>
		(vacated) STEL: 15 mg/m <sup>3</sup>	
Dipropylene Glycol Monomethyl Ether	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
(DPM)	TWA: 100 ppm	TWA: 600 mg/m <sup>3</sup>	TWA: 100 ppm
34590-94-8	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m <sup>3</sup>
		(vacated) TWA: 600 mg/m <sup>3</sup>	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m <sup>3</sup>
		(vacated) STEL: 900 mg/m <sup>3</sup>	
		(vacated) S*	
		S*	
1-Methoxy-2-propanol	STEL: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm
107-98-2	TWA: 50 ppm	(vacated) TWA: 360 mg/m <sup>3</sup>	TWA: 360 mg/m <sup>3</sup>
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 540 mg/m <sup>3</sup>	STEL: 540 mg/m <sup>3</sup>

#### **Appropriate engineering controls**

**Engineering Controls**Apply technical measures to comply with the occupational exposure limits. Maintain eye

wash fountain and quick-drench facilities in work area.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side shields or chemical goggles.

**Skin and Body Protection** Wear protective gloves and protective clothing.

Respiratory Protection Not required under normal use conditions. If engineering controls do not keep airborne

concentrations below acceptable levels, wear a NIOSH-approved respirator.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

reuse.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear red liquidOdorMild solventColorRedOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

**pH** 11.2

Melting Point/Freezing Point < 0 °C / < 32 °F
Boiling Point/Boiling Range > 100 °C / > 212 °F
Flash Point Not Flammable / combustible

Evaporation Rate Slower than water Flammability (Solid, Gas) Not determined Upper Flammability Limits Not determined

Lower Flammability LimitNot determinedVapor PressureNot determinedVapor DensityNot determined

Specific Gravity 1.016 (1=Water)

**Water Solubility** Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined Not determined **Auto-ignition Temperature Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Water thin **Explosive Properties** Not determined **Oxidizing Properties** Not determined

## 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

## **Conditions to Avoid**

Contact with incompatible materials.

## **Incompatible Materials**

Strong oxidizing agents. Strong acids.

## **Hazardous Decomposition Products**

Smoke, fumes or vapors, and oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

#### **Product Information**

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Inhalation** May cause irritation to the mucous membranes and upper respiratory tract.

**Ingestion** Can burn mouth, throat, and stomach.

## Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Benzyl alcohol 100-51-6	= 1230 mg/kg (Rat)	= 2 g/kg (Rabbit)	= 8.8 mg/L (Rat) 4 h
Monoethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1 mL/kg (Rabbit) = 1000 mg/kg (Rabbit)	-
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-

1-Methoxy-2-propanol	= 5000 mg/kg (Rat)	= 13 g/kg (Rabbit)	> 6 mg/L (Rat) 4 h
107-98-2			

## Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

## **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

## Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl alcohol 100-51-6	35: 3 h Anabaena variabilis mg/L EC50	460: 96 h Pimephales promelas mg/L LC50 static 10: 96 h Lepomis macrochirus mg/L LC50 static	EC50 = 50 mg/L 5 min EC50 = 63.7 mg/L 15 min EC50 = 63.7 mg/L 5 min EC50 = 71.4 mg/L 30 min	23: 48 h water flea mg/L EC50
Monoethanolamine 141-43-5	15: 72 h Desmodesmus subspicatus mg/L EC50	200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 114 - 196: 96 h Oncorhynchus mykiss mg/L LC50 static 3684: 96 h Brachydanio rerio mg/L LC50 static 300 - 1000: 96 h Lepomis macrochirus mg/L LC50 static 227: 96 h Pimephales promelas mg/L LC50 flow-through		65: 48 h Daphnia magna mg/L EC50
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8		10000: 96 h Pimephales promelas mg/L LC50 static		1919: 48 h Daphnia magna mg/L LC50
1-Methoxy-2-propanol 107-98-2		20.8: 96 h Pimephales promelas g/L LC50 static 4600 - 10000: 96 h Leuciscus idus mg/L LC50 static		23300: 48 h Daphnia magna mg/L EC50

# Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

## **Mobility**

Chemical Name	Partition Coefficient
Benzyl alcohol 100-51-6	1.1
Monoethanolamine 141-43-5	-1.91

Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	-0.064
1-Methoxy-2-propanol	-0.437
107-98-2	

#### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

## 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No NA1760

Proper Shipping Name Compounds, cleaning liquid (Monoethanolamine)

Hazard Class 8
Packing Group III

## 15. REGULATORY INFORMATION

# International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Benzyl alcohol	Present	Χ		Present		Present	Χ	Present	Х	Х
Monoethanolamine	Present	Х		Present		Present	Х	Present	Х	Х
Dipropylene Glycol Monomethyl Ether (DPM)	Present	Х		Present		Present	Х	Present	Х	Х
1-Methoxy-2-propanol	Present	X		Present		Present	X	Present	Х	Χ

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Dipropylene Glycol Monomethyl Ether (DPM) - 34590-94-8	34590-94-8	1-5	1.0

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Benzyl alcohol		X	X
100-51-6			
Monoethanolamine	X	X	X
141-43-5			
Dipropylene Glycol Monomethyl	X	X	X
Ether (DPM)			
34590-94-8			
1-Methoxy-2-propanol	X	X	X
107-98-2			

## **16. OTHER INFORMATION**

NFPA_	Health Hazards	Flammability	Instability	Special Hazards
	Not determined	Not determined	Not determined	Not determined
HMIS_	Health Hazards	Flammability	Physical Hazards	Personal Protection
- <del></del>	3	0	0	В

Issue Date:01-Jul-2004Revision Date:02-Jul-2015Revision Note:New format

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**