Safety Data Sheet

Issue Date: 02-Aug-2004 Revision Date: 04-Jun-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name STEAM TRAFFIC LANE

Other means of identification

SDS # LBI-048

Product Code 298

Recommended use of the chemical and restrictions on use

Recommended Use

Carpet pre-spray cleaner.

Details of the supplier of the safety data sheet

Manufacturer Address Lawton Brothers, INC. 2515 Dinneen Ave.

P.O. Box 547635 Orlando, FL 32854-7635 Ph: 1-407-291-2501

Emergency Telephone Number

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear green liquid Physical State Liquid Odor Mild solvent

Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Hazards Not Otherwise Classified (HNOC)

May be harmful if swallowed

Signal Word Danger

Hazard Statements

Causes severe skin burns and eye damage



Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do not induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethylene Glycol Monobutyl Ether	111-76-2	1-10
Sodium Tripolyphosphate	7758-29-4	1-5
Sodium metasilicate	6834-92-0	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If irritation develops or

persists seek medical attention.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician.

Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If conscious give large amounts

of water. Seek immediate medical attention/advice.

LBI-048 - STEAM TRAFFIC LANE Revision Date: 04-Jun-2015

Most important symptoms and effects

Symptoms Prolonged or repeated contact with skin may cause irritation and local redness. Eye contact

causes severe irritation and swelling of conjunctiva. Prolonged eye contact may cause chemical burns. May be harmful if swallowed. Ingestion may cause burns to G.I. tract, abdominal discomfort, nausea, vomiting and diarrhea. Inhalation of spray mist or vapors

may irritate respiratory tract.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Do not enter confined fire-spaces without protective clothing and self-contained air supply.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protection recommended in Section 8.

Environmental Precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an

absorbent material.

Methods for Clean-Up Sweep up absorbed material and shovel into suitable containers for disposal. Discard any

product, residue, disposable container or liner in full compliance with federal, state, and

local regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Do not breathe

dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing and eye/face protection. Wash face, hands, and any exposed skin thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. Use personal protection recommended in Section 8.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep container closed when not in use.

Incompatible Materials Strong oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
111-76-2		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
		(vacated) TWA: 120 mg/m ³	
		(vacated) S*	
		S*	
Sodium Tripolyphosphate	15 mg/m ³	15 mg/m ³	-
7758-29-4			
Sodium metasilicate	2 mg/m³	2 mg/m ³	-
6834-92-0			

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Maintain eye

wash fountain and quick-drench facilities in work area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side shields or chemical goggles.

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory Protection If engineering controls do not keep airborne concentrations below acceptable levels, wear a

NIOSH-approved respirator.

General Hygiene Considerations Avoid contact with skin, eyes and clothing. After handling this product, wash hands before

eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before

euse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear green liquidOdorMild solventColorClear greenOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 12.9

Melting Point/Freezing Point< 0 °C / < 32 °F</th>Boiling Point/Boiling Range> 100 °C / > 212 °FFlash PointNot Flammable / combustible

Evaporation Rate
Flammability (Solid, Gas)
Upper Flammability Limits
Not determined
Not determined
Not determined
Not determined
Not determined
Vapor Pressure
Vapor Density
Not determined
Not determined

Specific Gravity 1.054 (1=Water)

Water Solubility

Solubility in other solvents

Partition Coefficient

Auto-ignition Temperature

Completely soluble

Not determined

Not determined

Decomposition TemperatureNot determinedKinematic ViscosityNot determinedDynamic Viscositywater thinExplosive PropertiesNot determinedOxidizing PropertiesNot determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Contact with incompatible materials.

Incompatible Materials

Strong oxidizing agents. Strong acids.

Hazardous Decomposition Products

Smoke, fumes or vapors, and oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Inhalation May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion May be harmful if swallowed. Can burn mouth, throat, and stomach.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Sodium Tripolyphosphate 7758-29-4	= 3100 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	-
Sodium metasilicate 6834-92-0	= 600 mg/kg (Rat)	-	-

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Revision Date: 04-Jun-2015

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl	A3	Group 3		
Ether		•		
111-76-2				

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethylene Glycol Monobutyl Ether 111-76-2		1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50		1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50
Sodium Tripolyphosphate 7758-29-4		1650: 48 h Leuciscus idus mg/L LC50		
Sodium metasilicate 6834-92-0		210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50		216: 96 h Daphnia magna mg/L EC50

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ethylene Glycol Monobutyl Ether	0.81
111-76-2	

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Revision Date: 04-Jun-2015

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Ethylene Glycol Monobutyl	Present	X		Present		Present	X	Present	X	X
Ether										
Sodium Tripolyphosphate	Present	Х		Present		Present	Х	Present	Х	Х
Sodium metasilicate	Present	Х		Present		Present	Х	Present	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	1-10	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether 111-76-2	X	X	X
Sodium Tripolyphosphate 7758-29-4		X	Х

LBI-048 - STEAM TRAFFIC LANE Revision Date: 04-Jun-2015

16. OTHER INFORMATION

NFPAHealth Hazards
Not determinedFlammability
Not determinedInstability
Not determinedSpecial Hazards
Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection
B

Issue Date: 02-Aug-2004
Revision Date: 04-Jun-2015
Revision Note: New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet